



Republic of the Philippines
Province of Albay
CITY OF TABACO

Bids and Awards Committee

SUPPLEMENTAL BID BULLETIN NO. 03-2025

Supply, Delivery & Installation of LED Wall and Smart TV
CDRRMO, Tabaco City
Contract ID No. 001-01-2025-GOODS-PB, ABC: Php 2,000,000.00
PhilGEPS ITB Ref No. 11650313

TO ALL CONCERNED:

Please be advised of the following changes / amendments and clarification to the Bidding Documents of the foregoing project, to wit:

Section I-Invitation to Bid: Schedule of Activities

Activities	Previous Schedule	New Schedule
Bid Submission	On/before 9AM, January 29, 2025	On/ before 9AM of January 30, 2025
Bid Opening	9:30AM January 29, 2025	9:30AM of January 30, 2025

Clause 19.3 Section III-Bid Data Sheet, Section VI-Schedule of Requirements, Section VII-Technical Specifications, Annex A-Schedule of Prices


<u>Description</u>	<u>Amended Description</u>
<p>A. 1 Lot- Supply, Delivery & Installation of LED Wall: Component: 1. LED SCREEN - 1 set (2m x 4m) Pixel Pitch: 3.91mm Pixel Configuration: 1R1G1B LED Type: High Quality SMD1820 3 in 1 Black Module Size: 250mm x 250mm Module Resolution: 64x64 dots Module Quantity: 8 Module Weight: 0.65+0.1 kg Cabinet Resolution: 256x128 Cabinet Size: 1000mm x 500mm Cabinet Weight: 16+0.5 kg/panel Pixel Density: 65,536 Dots/sq.m Color Temperature: 6000-1000K (Adjustable) Viewing Angle: H160deg, V120deg Recommended Viewing Distance: > 3.91m Processing Depth: 14 Bits Signal Type: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI Max Power Consumption: 750W/sq.m Ave. Power Consumption: 280W/sq.m Frame Changing Frequency: 3840Hz Control Mode: Synchronous or Asynchronous Maintenance: Rear/Front Control Distance: CAT5 Cable (L≤100M), multi-mode fiber (L≤300m) single mode fiber (L≤15km) Operating Temperature/Humidity: -25deg C ~+45deg C/10 ~90%RH Storage Temperature/Humidity: -25deg C ~+50deg C/10 ~90%RH Ingress Protection: Front IP65/Rear IP65 Blindspot Rate/Lifespan: <1/100000 / ≥100000h</p> <p>2. VIDEO PROCESSOR Loading Capacity: 3.9 Million Pixels Max Width & Height: w10240 pixels, H8192 pixels Layers: 3x2Kx1K</p>	<p>A.) 1 Lot- Supply, Delivery & Installation of LED Wall: Component: 1.) LED SCREEN - 1 set (2m x 4m) Pixel Pitch: 3.91mm Pixel Configuration: 1R1G1B LED Type: High Quality SMD1820 3 in 1 Black Module Size: 250mm x 250mm Module Resolution: 64x64 dots Module Quantity: 8 Module Weight: 0.65+0.1 kg Cabinet Resolution: 256x128 Cabinet Size: 1000mm x 500mm Cabinet Weight: 16+0.5 kg/panel Pixel Density: 65,536 Dots/sq.m Color Temperature: 6000-1000K (Adjustable) Viewing Angle: H160deg, V120deg Recommended Viewing Distance: > 3.91m Processing Depth: 14 Bits Signal Type: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI Max Power Consumption: 750W/sq.m Ave. Power Consumption: 280W/sq.m Frame Changing Frequency: 3840Hz Control Mode: Synchronous or Asynchronous Maintenance: Rear/Front Control Distance: CAT5 Cable (L≤100M), multi-mode fiber (L≤300m) single mode fiber (L≤15km) Operating Temperature/Humidity: -25deg C ~+45deg C/10 ~90%RH Storage Temperature/Humidity: -25deg C ~+50deg C/10 ~90%RH Ingress Protection: Front IP65/Rear IP65 Blindspot Rate/Lifespan: <1/100000 / ≥100000h</p> <p>2.) VIDEO PROCESSOR Loading Capacity: 3.9 Million Pixels Max Width & Height: w10240 pixels, H8192 pixels Layers: 3x2Kx1K</p>

<p>Input Connectors: 1x3G-SDI, 2xHDMI 1.3, 1xDVI, 1xOPT1 Output Connectors: 6x Ethernet Ports, 1xHDMI 1.3, 1x HDMI 1.3 LOOP, 1xDVI LOOP, 1 x3g-SDI LOOP, 2x OPT Present: 10 Control Connectors: 1x Ethernet Port, 2x USB (Input & Output), 1x Genlock (In & Loop)</p>	<p>Input Connectors: 1x3G-SDI, 2xHDMI 1.3, 1xDVI, 1xOPT1 Output Connectors: 6x Ethernet Ports, 1xHDMI 1.3, 1x HDMI 1.3 LOOP, 1xDVI LOOP, 1 x3g-SDI LOOP, 2x OPT Present: 10 Control Connectors: 1x Ethernet Port, 2x USB (Input & Output), 1x Genlock (In & Loop)</p> <p><i>Installation of LED Wall includes provision of the following: Metal Frame Civil Works (foundation and concrete)</i></p>
<p>B. 2-units 4K SMART TV 2024 Model Type: 2024 Size: 75inches Display Type: 4K QNED Wide Color Gamut: QNED Color HDR (High Dynamic Range): HDR10/HLG Speaker System: 2.0 Channel Refresh Rate: 60Hz Native Picture Processor: a5 AI Processor 4K Gen. 7 Audio Output: 20W AI Sound: AI Sound Pro (Virtual 9.1.2 Up-mix) Operating System (OS): Web OS 24 Connectivity HDMI Audio Return Channel: ARC (HDMI 2) Power Supply: AC100-240V, 50-60Hz With Bracket and accessories</p>	<p>B.) 2-units 4K SMART TV 2024 Model Type: 2024 Size: 75inches Display Type: 4K QNED Wide Color Gamut: QNED Color HDR (High Dynamic Range): HDR10/HLG Speaker System: 2.0 Channel Refresh Rate: 60Hz Native Picture Processor: a5 AI Processor 4K Gen. 7 Audio Output: 20W AI Sound: AI Sound Pro (Virtual 9.1.2 Up-mix) Operating System (OS): Web OS 24 Connectivity HDMI Audio Return Channel: ARC (HDMI 2) Power Supply: AC100-240V, 50-60Hz With Bracket and accessories</p>
<p>Delivery Place: CDRRMO, Tabaco City</p>	<p>Installation Site: Tabaco City Plaza</p>

This Supplemental Bid Bulletin No. 03-2025 is issued by the procuring entity to clarify, modify or amend items in the Bidding Documents. This shall form an integral part of the Bidding Documents.

For information and guidance of all concerned.

Issued this 20th day of January 2025 at Tabaco City.


ATTY. JOVITO BRON CODARIS, JR.
City Legal Officer / BAC Chairman

Procuring Entity: City Government of Tabaco City
 Contract ID No.: 001-01-2025-GOODS-PB
 Name of the Project: Supply, Delivery, & Installation of LED Wall and Smart TV
 Location of the Project: CDRRMO, Tabaco City

Schedule of Requirements

(Amended, SBB No. 03-2025)

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<u>Item No.</u>	<u>Description</u>	<u>QTY</u>	<u>UOM</u>
1	<i>Supply, Delivery, & Installation of LED Wall & Smart TV</i>	1	lot
	<p>A. 1 Lot- Supply, Delivery & Installation of LED Wall: Component:</p> <p>1. LED SCREEN - 1 set (2m x 4m) Pixel Pitch: 3.91mm Pixel Configuration: 1R1G1B LED Type: High Quality SMD1820 3 in 1 Black Module Size: 250mm x 250mm Module Resolution: 64x64 dots Module Quantity: 8 Module Weight: 0.65+0.1 kg Cabinet Resolution: 256x128 Cabinet Size: 1000mm x 500mm Cabinet Weight: 16+0.5 kg/panel Pixel Density: 65,536 Dots/sq.m Color Temperature: 6000-1000K (Adjustable) Viewing Angle: H160deg, V120deg Recommended Viewing Distance: > 3.91m Processing Depth: 14 Bits Signal Type: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI Max Power Consumption: 750W/sq.m Ave. Power Consumption: 280W/sq.m Frame Changing Frequency: 3840Hz Control Mode: Synchronous or Asynchronous Maintenance: Rear/Front Control Distance: CAT5 Cable (L≤100M), multi-mode fiber (L≤300m) single mode fiber (L≤15km) Operating Temperature/Humidity: -25deg C ~+45deg C/10 ~90%RH Storage Temperature/Humidity: -25deg C ~+50deg C/10 ~90%RH Ingress Protection: Front IP65/Rear IP65 Blindspot Rate/Lifespan: <1/100000 / ≥100000h</p> <p>2. VIDEO PROCESSOR Loading Capacity: 3.9 Million Pixels Max Width & Height: w10240 pixels, H8192 pixels Layers: 3x2Kx1K Input Connectors: 1x3G-SDI, 2xHDMI 1.3, 1xDVI, 1xOPT1 Output Connectors: 6x Ethernet Ports, 1xHDMI 1.3, 1x HDMI 1.3 LOOP, 1xDVI LOOP, 1 x3g-SDI LOOP, 2x OPT Present: 10 Control Connectors: 1x Ethernet Port, 2x USB (Input & Output), 1x Genlock (In & Loop)</p> <p><i>Installation of LED Wall includes provision of the following:</i> Metal Frame Civil Works (foundation and concrete)</p>		
	<p>B. 2-units 4K SMART TV 2024 Model Type: 2024 Size: 75inches Display Type: 4K QNED</p>		

	Wide Color Gamut: QNED Color HDR (High Dynamic Range): HDR10/HLG Speaker System: 2.0 Channel Refresh Rate: 60Hz Native Picture Processor: a5 AI Processor 4K Gen. 7 Audio Output: 20W AI Sound: AI Sound Pro (Virtual 9.1.2 Up-mix) Operating System (OS): Web OS 24 Connectivity HDMI Audio Return Channel: ARC (HDMI 2) Power Supply: AC100-240V, 50-60Hz With Bracket and accessories		
II.	Warranty: at least one (1) year		
III.	Delivery Period: 30 Calendar Days from Receipt of the Notice to Proceed. Installation Site: Tabaco City Plaza		

I hereby certify to comply and deliver all of the above requirements.

Name of the Company/Bidder	Signature over Printer Name of Authorized Representative	Date
----------------------------	---	------

Technical Specifications

(Amended, SBB No. 03-2025)

**Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.*

Item	Specification	Statement of Compliance*
1	Supply, Delivery, & Installation of LED Wall & Smart TV	
A.	<p>1 Lot- Supply, Delivery & Installation of LED Wall:</p> <p>1. LED SCREEN - 1 set (2m x 4m) Pixel Pitch: 3.91mm Pixel Configuration: 1R1G1B LED Type: High Quality SMD1820 3 in 1 Black Module Size: 250mm x 250mm Module Resolution: 64x64 dots Module Quantity: 8 Module Weight: 0.65+0.1 kg Cabinet Resolution: 256x128 Cabinet Size: 1000mm x 500mm Cabinet Weight: 16+0.5 kg/panel Pixel Density: 65,536 Dots/sq.m Color Temperature: 6000-1000K (Adjustable) Viewing Angle: H160deg, V120deg Recommended Viewing Distance: > 3.91m Processing Depth: 14 Bits Signal Type: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI Max Power Consumption: 750W/sq.m Ave. Power Consumption: 280W/sq.m Frame Changing Frequency: 3840Hz Control Mode: Synchronous or Asynchronous Maintenance: Rear/Front Control Distance: CAT5 Cable (L≤100M), multi-mode fiber (L≤300m) single mode fiber (L≤15km) Operating Temperature/Humidity: -25deg C ~+45deg C/10 ~90%RH Storage Temperature/Humidity: -25deg C ~+50deg C/10 ~90%RH Ingress Protection: Front IP65/Rear IP65 Blindspot Rate/Lifespan: <1/100000 / ≥100000h</p> <p>2. VIDEO PROCESSOR Loading Capacity: 3.9 Million Pixels Max Width & Height: w10240 pixels, H8192 pixels Layers: 3x2Kx1K Input Connectors: 1x3G-SDI, 2xHDMI 1.3, 1xDVI, 1xOPT1 Output Connectors: 6x Ethernet Ports, 1xHDMI 1.3, 1x HDMI 1.3 LOOP, 1xDVI LOOP, 1 x3g-SDI LOOP, 2x OPT Present: 10 Control Connectors: 1x Ethernet Port, 2x USB (Input & Output), 1x Genlock (In & Loop)</p>	

	<p><i>Installation of LED Wall includes provision of the following:</i> Metal Frame Civil Works (foundation and concrete)</p>	
B.	<p>2-units 4K SMART TV 2024 Model Type: 2024 Size: 75inches Display Type: 4K QNED Wide Color Gamut: QNED Color HDR (High Dynamic Range): HDR10/HLG Speaker System: 2.0 Channel Refresh Rate: 60Hz Native Picture Processor: a5 AI Processor 4K Gen. 7 Audio Output: 20W AI Sound: AI Sound Pro (Virtual 9.1.2 Up-mix) Operating System (OS): Web OS 24 Connectivity HDMI Audio Return Channel: ARC (HDMI 2) Power Supply: AC100-240V, 50-60Hz With Bracket and accessories</p>	

Name of the Company/Bidder	Signature over Printer Name of Authorized Representative	Date
-----------------------------------	---	-------------

Procuring Entity: City Government of Tabaco City
 Contract ID No.: 001-01-2025-GOODS-PB
 Name of the Project: Supply, Delivery, & Installation of LED Wall and Smart TV
 Location of the Project: CDRRMO, Tabaco City

Price Schedule for Goods Offered from Within the Philippines (Amended, SBB No. 03-2025)

Name of Bidder _____

Project ID No. _____ Page ____ of ____

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Supply, Delivery, & Installation of LED Wall & Smart TV		1 lot						
	A. 1 Lot- Supply, Delivery & Installation of LED Wall: Component: 1. LED SCREEN - 1 set (2m x 4m) Pixel Pitch: 3.91mm Pixel Configuration: 1R1G1B LED Type: High Quality SMD1820 3 in 1 Black Module Size: 250mm x 250mm Module Resolution: 64x64 dots Module Quantity: 8 Module Weight: 0.65+0.1 kg Cabinet Resolution: 256x128 Cabinet Size: 1000mm x 500mm Cabinet Weight: 16+0.5 kg/panel Pixel Density: 65,536 Dots/sq.m Color Temperature: 6000-1000K (Adjustable) Viewing Angle: H160deg, V120deg Recommended Viewing Distance: > 3.91m Processing Depth: 14 Bits Signal Type: AV, S-Video, VGA, DVI, YPbPr, HDMI, SDI Max Power Consumption: 750W/sq.m Ave. Power Consumption: 280W/sq.m Frame Changing Frequency: 3840Hz Control Mode: Synchronous or Asynchronous Maintenance: Rear/Front Control Distance: CAT5 Cable (L≤100M), multi-mode fiber (L≤300m) single mode fiber (L≤15km)								

<p>Operating Temperature/Humidity: -25deg C ~+45deg C/10 ~90%RH Storage Temperature/Humidity: -25deg C ~+50deg C/10 ~90%RH Ingress Protection: Front IP65/Rear IP65 Blindspot Rate/Lifespan: <1/100000 / ≥100000h</p> <p>2. VIDEO PROCESSOR Loading Capacity: 3.9 Million Pixels Max Width & Height: w10240 pixels, H8192 pixels Layers: 3x2Kx1K Input Connectors: 1x3G-SDI, 2xHDMI 1.3, 1xDVI, 1xOPT1 Output Connectors: 6x Ethernet Ports, 1xHDMI 1.3, 1x HDMI 1.3 LOOP, 1xDVI LOOP, 1 x3g-SDI LOOP, 2x OPT Present: 10 Control Connectors: 1x Ethernet Port, 2x USB (Input & Output), 1x Genlock (In & Loop)</p> <p><i>Installation of LED Wall includes provision of the following:</i> Metal Frame Civil Works (foundation and concrete)</p> <p>B. 2-units 4K SMART TV 2024 Model Type: 2024 Size: 75inches Display Type: 4K QNED Wide Color Gamut: QNED Color HDR (High Dynamic Range): HDR10/HLG Speaker System: 2.0 Channel Refresh Rate: 60Hz Native Picture Processor: a5 AI Processor 4K Gen. 7 Audio Output: 20W AI Sound: AI Sound Pro (Virtual 9.1.2 Up-mix) Operating System (OS): Web OS 24 Connectivity HDMI Audio Return Channel: ARC (HDMI 2) Power Supply: AC100-240V, 50-60Hz With Bracket and accessories</p>								
--	--	--	--	--	--	--	--	--

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____