

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Government of the Republic of the Philippines

Province of Albay

CITY OF TABACO

Procurement of Infrastructure Projects

**REHABILITATION/ IMPROVEMENT OF
PAWA-BANGKILINGAN BRIDGE,
PAWA-BANGKILINGAN SECTION, TABACO CITY**

Contract ID No. 029-08-2021-INFRA

August 17, 2021

**Sixth Edition
July 2020**

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms	4
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders	10
1. Scope of Bid.....	11
2. Funding Information	11
3. Bidding Requirements.....	11
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
5. Eligible Bidders.....	11
6. Origin of Associated Goods	12
7. Subcontracts	12
8. Pre-Bid Conference.....	12
9. Clarification and Amendment of Bidding Documents.....	12
10. Documents Comprising the Bid: Eligibility and Technical Components.....	12
11. Documents Comprising the Bid: Financial Component	13
12. Alternative Bids	13
13. Bid Prices	13
14. Bid and Payment Currencies.....	13
15. Bid Security.....	14
16. Sealing and Marking of Bids.....	14
17. Deadline for Submission of Bids	14
18. Opening and Preliminary Examination of Bids	14
19. Detailed Evaluation and Comparison of Bids.....	14
20. Post Qualification.....	15
21. Signing of the Contract	15
Section III. Bid Data Sheet.....	16
Section IV. General Conditions of Contract.....	19
1. Scope of Contract.....	20
2. Sectional Completion of Works	20
3. Possession of Site	20
4. The Contractor's Obligations.....	20
5. Performance Security	20
6. Site Investigation Reports	21
7. Warranty.....	21
8. Liability of the Contractor.....	21
9. Termination for Other Causes.....	21
10. Dayworks	21
11. Program of Work.....	21

12. Instructions, Inspections and Audits	22
13. Advance Payment.....	22
14. Progress Payments	22
15. Operating and Maintenance Manuals.....	22
Section V. Special Conditions of Contract.....	23
Section VI. Specifications	25
Section VII. Drawings.....	26
Section VIII. Bill of Quantities	43
Section IX. Checklist of Technical and Financial Documents	45
Annex A. Forms and Templates	48

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as

specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippines
Province of Albay
CITY GOVERNMENT OF TABACO
Tabaco City

Bids and Awards Committee

**Invitation to Bid for
Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge
Pawa-Bangkilingan Section, Tabaco City
Contract ID No. 029-08-2021-INFRA**

1. The *City Government of Tabaco*, through the *Trust Fund-Bureau of Treasury (2021 LGSF-Disaster Risk Reduction Assistance Program)* intends to apply the sum of *Thirty Million Pesos (Php 30,000,000.00)* being the Approved Budget for the Contract (ABC) to payments under the contract for the *Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge, Pawa-Bangkilingan Section, Tabaco City under Contract ID No. 029-08-2021-INFRA*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *City Government of Tabaco* now invites bids for the above Procurement Project. Completion of the Works is required *within 240 calendar days from receipt of Notice to Proceed*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from the *City Government of Tabaco* and inspect the Bidding Documents at the address given below from **9:00 A.M. to 4:00 P.M.**
5. A complete set of Bidding Documents may be acquired by interested bidders on *August 17-September 06, 2021* from given address and website/s below *and upon payment of the applicable fee for the Bidding Documents*, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Twenty-Five Thousand (P25,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.
6. The *City Government of Tabaco* will hold a Pre-Bid Conference on *August 25, 2021, 9:30AM, City Hall, Tabaco City*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below on or before **9:00AM, September 07, 2021**. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on *September 07, 2021, 9:30AM* at the given address below. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.

10. **Other Necessary Information:**

Minimum PCAB License Category: General Engineering

Project Size Range: Roads, Highway Pavement, Railways, Airport and Bridges – Small B

Minimum Manpower Requirements:

- 1 Project Manager
- 1 Project Engineer
- 1 Construction Foreman
- 6 Heavy Equipment Operator
- 1 Safety Officer
- 1 First Aider
- 40 Skilled Laborer
- 60 Common Laborer

Minimum Equipment Required:

- 2 units Backhoe, Crawler Type, 0.80cu.m
- 1 unit Dump Truck
- 1 unit Water Truck, 1000 Gal
- 1 unit Payloader, 1.8cu.m
- 1 unit Plate Compactor
- 3 units One Bagger Concrete Mixer
- 1 unit Air Compressor
- 3 units Transit Mixer, 4cu.m.
- 2 units Concrete Vibrator
- 1 unit Diesel Hammer
- 1 unit Vibratory Roller
- 1 unit Motorized Road Grader
- 1 unit Crawler Crane (45T)
- 1 unit Welding Machine, 300amp
- Enough Hand tools

11. The **City Government of Tabaco** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

Atty. Jovito Bron Coderis, Jr.
BAC Chairman / City Legal Office
BAC Office / City Legal Office
2F Annex Bldg., Tabaco City Hall, Tabaco City
Email: bactabaco16@gmail.com
Website: tabacocity.gov.ph

Engr. Roland B. Garcia
BAC TWG / OIC-GSO
General Services Office
2F Annex Bldg., Tabaco City Hall, Tabaco City

13. You may visit the following website:

For downloading of Bidding Documents: www.tabacocity.com.ph

August 17, 2021

(Sgd.)
ATTY. JOVITO BRON CODERIS, JR.
BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *City Government of Tabaco* invites Bids for the *Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge, Pawa-Bangkilingan Section, Tabaco City ID No. 029-08-2021-INFRA*.

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2021 in the amount of *Thirty Million Pesos (Php 30,000,000.00)*.

2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. The Bidder must have an experience of having completed a *Single Largest Completed Contract (SLCC)* that is similar to this Project, equivalent *to at least fifty percent (50%) of the ABC* adjusted, if necessary, by the Bidder to

current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed.

- 7.1. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by

the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to

Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

14.2. Payment of the contract price shall be made in Philippine Pesos.

15. Bid Security

15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

15.2. The Bid and bid security shall be valid until **January 05, 2022**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause																																																	
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be <i>repair/rehab/improvement of bridges.</i>																																																
7.1	<i>Subcontracting is not allowed.</i>																																																
10.3	PCAB Registration Particular includes the following: Kind of Project and Size Range: Roads, Highway Pavement, Railways, Airport and Bridges – Medium A																																																
10.4	The key personnel must meet the required minimum years of experience set below. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;"><u>Key Personnel</u></th> <th style="text-align: center;"><u>General Experience</u></th> <th style="text-align: center;"><u>Relevant Experience</u></th> </tr> </thead> <tbody> <tr> <td>Project Manager</td> <td style="text-align: center;">5</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Project Engineer</td> <td style="text-align: center;">5</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Construction Foreman</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Heavy Equipment Operator</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Safety Officer</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <td>First Aider</td> <td style="text-align: center;">1</td> <td style="text-align: center;">1</td> </tr> </tbody> </table>	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	Project Manager	5	3	Project Engineer	5	3	Construction Foreman	3	1	Heavy Equipment Operator	3	1	Safety Officer	3	1	First Aider	1	1																											
<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>																																															
Project Manager	5	3																																															
Project Engineer	5	3																																															
Construction Foreman	3	1																																															
Heavy Equipment Operator	3	1																																															
Safety Officer	3	1																																															
First Aider	1	1																																															
10.5	The minimum major equipment requirements are the following: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;"><u>Equipment</u></th> <th style="text-align: center;"><u>Capacity</u></th> <th style="text-align: center;"><u>Number of Units</u></th> </tr> </thead> <tbody> <tr> <td>Backhoe, Crawler Type</td> <td style="text-align: center;">0.80cu.m</td> <td style="text-align: center;">2 units</td> </tr> <tr> <td>Dump Truck</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Water Truck</td> <td style="text-align: center;">1000 gal</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Payloader</td> <td style="text-align: center;">1.8cu.m</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Plate Compactor</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>1-Bagger Concrete Mixer</td> <td style="text-align: center;">-</td> <td style="text-align: center;">3 units</td> </tr> <tr> <td>Air Compressor</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Transit Mixer</td> <td style="text-align: center;">4cu.m</td> <td style="text-align: center;">3 units</td> </tr> <tr> <td>Concrete Vibrator</td> <td style="text-align: center;">-</td> <td style="text-align: center;">2 units</td> </tr> <tr> <td>Diesel Hammer</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Vibratory Roller</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Motorized Road Grader</td> <td style="text-align: center;">-</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Crawler Crane</td> <td style="text-align: center;">45T</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Welding Machine</td> <td style="text-align: center;">300amp</td> <td style="text-align: center;">1 unit</td> </tr> <tr> <td>Hand tools</td> <td style="text-align: center;">-</td> <td style="text-align: center;">Enough</td> </tr> </tbody> </table>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>	Backhoe, Crawler Type	0.80cu.m	2 units	Dump Truck	-	1 unit	Water Truck	1000 gal	1 unit	Payloader	1.8cu.m	1 unit	Plate Compactor	-	1 unit	1-Bagger Concrete Mixer	-	3 units	Air Compressor	-	1 unit	Transit Mixer	4cu.m	3 units	Concrete Vibrator	-	2 units	Diesel Hammer	-	1 unit	Vibratory Roller	-	1 unit	Motorized Road Grader	-	1 unit	Crawler Crane	45T	1 unit	Welding Machine	300amp	1 unit	Hand tools	-	Enough
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																																															
Backhoe, Crawler Type	0.80cu.m	2 units																																															
Dump Truck	-	1 unit																																															
Water Truck	1000 gal	1 unit																																															
Payloader	1.8cu.m	1 unit																																															
Plate Compactor	-	1 unit																																															
1-Bagger Concrete Mixer	-	3 units																																															
Air Compressor	-	1 unit																																															
Transit Mixer	4cu.m	3 units																																															
Concrete Vibrator	-	2 units																																															
Diesel Hammer	-	1 unit																																															
Vibratory Roller	-	1 unit																																															
Motorized Road Grader	-	1 unit																																															
Crawler Crane	45T	1 unit																																															
Welding Machine	300amp	1 unit																																															
Hand tools	-	Enough																																															
12	Alternative Bids shall not be accepted.																																																
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: a. The amount of not less than <i>Php 600,000.00</i> draft/guarantee or irrevocable letter of credit; b. The amount of not less than <i>Php 1,500,000.00 [5% of ABC]</i> if bid security is in Surety Bond.																																																
16	Each Bidder shall submit one (1) original and two (2) copies of the first and second components of its bid. Should there be discrepancies, the original copy would prevail.																																																
19.2	Partial bids are not allowed.																																																

20	None
21	<ol style="list-style-type: none">1. Construction Safety and Health Program approved by the DOLE;2. Contractor's All Risk Insurance (CARI);3. Construction Schedule and S-curve / Bar Chart / PERT CPM Network Diagram and detailed computations of contract time.4. Manpower Utilization Schedule5. Narrative Description of Construction Procedures and Methods6. Equipment Utilization Schedule

Section IV. General Conditions of Contract

1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. **Sectional Completion of Works**

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. **Possession of Site**

4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. **The Contractor's Obligations**

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. **Performance Security**

5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.

5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.

7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in ITB Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.

11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.

15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
2	No sectional completion.
4.1	Upon receipt of Notice to Proceed.
6	None
7.2	Fifteen (15) years.
10	No dayworks are applicable to the contract.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>[insert number]</i> days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is <i>[insert amount]</i> .
13	The amount of the advance payment is <i>15% of the total contract price and schedule of payment</i>
14	Materials and equipment delivered on the site but not completely put in place shall not be included for payment.
15.1	The date by which "as built" drawings are required is after completion of the project.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is <i>[amount in local currency]</i> .

Section VI. Specifications

Project Title: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge, Pawa-Bangkilingan Section, Tabaco City
Contract ID No. 029-08-2021-INFRA
Approved Budget for the Contract (ABC): Php 30,000,000.00
Duration: 240 Calendar Days

SCOPE OF WORK AND TECHNICAL SPECIFICATIONS

A. REHAB. / IMPROVEMENT OF PAWA-BANGKILINGAN BRIDGE, PAWA-BANGKILINGAN SECTION, TABACO CITY

GENERAL CONDITIONS

The work to be executed under this project shall include the furnishing of all materials, labor, equipment, tools and everything listed, mentioned or as scheduled on the drawings or herein specified or both for aforementioned location as per plans and specifications. The contractor shall provide all items, articles, materials, operations or methods listed, mentioned or scheduled on the drawings and/or herein including all labor, materials, equipment and incidentals necessary and required for their completion.

PLAN AND SPECIFICATION

All drawings, small scale and detail drawings are intended to cooperate with the specifications and to form part thereof. Where figures scale. Anything shown in the drawings and not expressly set forth in the specification or vice-versa or anything not expressly set forth in either but which is reasonably implied shall be furnished and installed as though specifically shown and mentioned in both.

ITEMS OF WORK INCLUDED

PART A - EARTHWORKS

101(1) Removal of Structure & Obstruction

This item shall consist of the removal wholly or in part, and satisfactory disposal of all buildings, fences, structures, old pavements, abandoned pipe lines, and any other obstructions which are not designated or permitted to remain, except for the obstructions to be removed and disposed off under other items in the Contract. It shall also include the salvaging of designated materials, and backfilling the resulting trenches, holes and pits.

103(5) b Cribbing/ Cofferdamming

This item of work shall include furnishing, constructing, maintaining, and removing any and all shoring cribbing, cofferdams, caissons, bracing, sheeting water control, and other operations necessary for the acceptable completion of excavation included in the work of this section, to a depth of 1.5m below the lowest elevation shown on the plans for each separable foundation structure.

This Item shall include necessary diverting of live streams, bailing, pumping, draining, sheeting, bracing, and the necessary construction of cribs and cofferdams, and furnishing the materials therefore, and the subsequent removal of cribs and cofferdams and the placing of all necessary

104(1) b Embankment (Selected Borrow)

This item shall consist of the construction of embankment in accordance with this Specification and in conformity with the lines, grades and dimensions shown on the Plans or established by the Engineer.

Embankments shall be constructed of suitable materials, which is acceptable in accordance with the Contract and which can be compacted in the manner specified in this item. It can be common material or rock.

Embankments and backfills shall contain no muck, peat, sod, roots or other deleterious matter. Rocks broken concrete or other solid, bulky materials shall not be placed in embankment areas where piling is to be placed or driven.

105(1) a Subgrade Preparation (Common Materials)

This item shall consist of the preparation of the subgrade for the support of overlying structural layers. It shall extend to full width of the roadway. Unless authorized by the Engineer, subgrade preparation shall not be done unless the Contractor is able to start immediately the construction of the pavement structure.

PART B - SUBBASE AND BASECOURSE

200(1) Aggregate Subbase Course

This item shall consist of furnishing, placing and compacting an aggregate subbase course on a prepared subgrade in accordance with this Specification and the lines, grades and cross-sections shown on the Plans, or as directed by the Engineer.

Aggregate for subbase shall consist of hard, durable particles or fragments of crushed stone, crushed slag, or crushed or natural gravel and filler of natural or crushed sand or other finely divided mineral matter. The composite material shall be free from vegetable matter and lumps or balls of clay, and shall be of such nature that it can be compacted readily to form a firm, stable subbase.

PART C - SURFACE COURSES

311(1) c1 Portland Cement Concrete Pavement 0.23 thk -14 days

This item shall covers the supply of labor, materials and equipment required to construct the PCCP in accordance with approved design grade, dimensions and cross-section. This also include the supply and installation of all reinforcing steel bars required in paving joints as called for in the approved plans and specifications, and all formwork requirements. (Please refer to plans)

Part D BRIDGE CONSTRUCTION

400(3) b Steel H-Pile (Furnished), 305mm x305mm x 95

This item shall covers the supply of labor, materials and equipment required to furnished the Steel H-Pile accordance with an itemized list, which will be provided by the Engineer, showing the number and lengths of all piles.

Steel H-Pile shall consist of structural steel shapes of the sections indicated on the Plans. When placed in the leads, the pile shall not exceed the camber and sweep permitted by allowable mill tolerance. Piles bent or otherwise damaged will be rejected. The loading, transporting, unloading, storing and handling of steel H-pile shall be conducted so that the metal will be kept clean and free from damage.

400(10) Steel H-Piles, Driven

This item shall consist of pile driving in accordance with this Specification and in conformity with the Plans.

All piles shall be driven as shown on the Plans or as ordered in writing by the Engineer. They shall be driven within an allowed variation of 20 mm per meter of pile length from the vertical or batter as shown on the Plans. The maximum allowable variation at the butt end of the pile shall be 75mm in any direction from the location shown on, the Plans or as directed by the Engineer. Each pile shall, after driving, be within 150mm from the theoretical location underneath the pile cap or underneath the superstructure in case of pile bents. All piles pushed up by the driving of adjacent piles or any other cause shall be redriven. Piles shall be used only in places where the minimum penetration of 3 m in firm materials, or 5 m in soft materials can be obtained. Whereas soft upper stratum overlies a hard stratum, the piles shall penetrate the hard materials at sufficient depths to fix the ends rigidly.

400(29a) Painting Works (Bridge/ Guardrail)

This item covers all paint materials including Pigments, Pastes, Driers, Thinners and Mixed Paints for bridge and guardrails and shall be applied to the size, shape and location of the markings shown on the Plans, or as required by the Engineer.

401(2) Concrete Railing

The portion of the railing or parapet which is to be cast-in-place shall be constructed in accordance with the requirements of Item 405, Structural Concrete. Special care shall be exercised to secure smooth and tight fitting forms which can be rigidly held in line and grade and removed without injury to the concrete

All moldings, panel work and bevel strips shall be constructed according to the detailed Plans with metered joints, and all corners in the finished work shall be true, sharp and clean-cut and shall be free from cracks, spalls and other defects.

404(1) Reinforcing Steel (Grade 40 & 60)

This item shall consist of furnishing, bending, fabricating and placing of steel reinforcement of the type, size, shape and grade required in accordance with this Specification and in conformity with the requirements shown on the Plans or as directed by the Engineer.

Steel reinforcements shall be stored above the surface of the ground upon platforms, skids, or other supports and shall be protected as far as practicable from mechanical injury and surface deterioration caused by exposure to conditions producing rust. When placed in the work, reinforcement shall be free from dirt, detrimental rust, loose scale, paint, grease, oil, or other foreign materials. Reinforcement shall be free from injurious defects such as cracks and laminations. Rust, surface seams, surface irregularities or mill scale will not be cause for rejection, provided the minimum dimensions, cross sectional area and tensile properties of a hand wire brushed specimen meets the physical requirements for the size and grade of steel specified.

All reinforcing bars requiring bending shall be cold-bent to the shapes shown on the Plans or as required by the Engineer. Bars shall be bent around a circular pin having the following diameters (D) in relation to the nominal diameter of the bar (d):

Nominal diameter, d, mm	Pin diameter (D)
10 to 20	6d
25 to 28	8d
32 and greater	10d

Bends and hooks in stirrups or ties may be bent to the diameter of the principal bar enclosed therein.

All reinforcement shall be furnished in the full lengths indicated on the Plans. Splicing of bars, except where shown on the Plans, will not be permitted without the written approval of the Engineer. Splices shall be staggered as far as possible and with a minimum separation of not less than 40 bar diameters. Not more than one-third of the bars may be spliced in the same cross-section, except where shown on the Plans. Unless otherwise shown on the Plans, bars shall be lapped a minimum distance of:

Splice Type	Grade 280 (40)	Grade 420 (60)	But not less than
Tension	24 bar dia	36 bar dia	300 mm
Compression	20 bar dia	24 bar dia	300 mm

405(1) Concrete – Structural Concrete Class A

This item shall consist of furnishing, bending, placing and finishing concrete in all structures except pavements in accordance with this Specification and conforming to the lines, grades, and dimensions shown on the Plans. Concrete shall consist of a mixture of Portland Cement, fine aggregate, coarse aggregate, admixture when specified, and water mixed in the proportions specified or approved by the Engineer.

Class A – All superstructures and heavily reinforced substructures. The important parts of the structure included are slabs, beams, girders, columns, arch ribs, box culverts, reinforced abutments, retaining walls, and reinforced footings.

407(5) Structure Excavation

The Contractor shall notify the Engineer sufficiently in advance of the beginning of any excavation so that cross-sectional elevations and measurements may be taken on the undisturbed ground. The natural ground adjacent to the structure shall not be disturbed without permission of the Engineer. Boulders, Logs, and other objectionable materials encountered in excavation shall be removed. After each excavation is completed, the Contractor shall notify the Engineer to that effect and no footing, bedding material or pipe culvert shall be placed until the Engineer has approved the depth of excavation and the character of the foundation material.

The surplus Materials shall be disposed of in such manner as not to obstruct the stream or otherwise impair the efficiency or appearance of the structure. No excavated materials shall be deposited at any time so as to endanger the partly finished structure.

407(8) Lean Concrete

Concrete shall not be placed until forms and reinforcing steel have been checked and approved by the Engineer. If lean concrete is required in the Plan or as directed by the Engineer prior to placing of reinforcing steel bar, the lean concrete should have a minimum compressive strength of 13.8 MPa.

Part E - DRAINAGE AND SLOPE PROTECTION STRUCTURES

505(2) Grouted Riprap – Class A

This Item shall consist of the furnishing and placing of riprap with or without grout as the case may be, with or without filter backing, furnished and constructed in accordance with this Specification and to the lines and grades and dimensions shown on the Plans.

Class A – Stones ranging from a minimum of 15kg to a maximum of 25 kg with atleast 50 percent of the stones weighing more than 20 kg. Sound pieces of broken concrete obtained from the removal of bridges, culverts and other structures may be submitted for stone with the approval of the Engineer.

506(1) Stone Masonry

This item shall consist of stone masonry in minor structures, in headwalls for culverts, in retaining walls at the toes of slopes, and at other places called for on the Plans, constructed on the prepared foundation bed, in accordance with this Specification and in conformity with the lines, grades, sections, and dimensions shown on the Plans or as ordered in writing by the Engineer.

517(1) Metal Drain Pipe

This item shall consist of installing drain pipes, fastened with steel straps that are either bolted to pier copings or welded to steel girders in various locations of the bridge, or as indicated in accordance with this Specification and in conformity with the lines, and grades and dimensions shown in the Plans or as established by the Engineer.

This pipe shall be of specified diameter and types according to the Engineer's plan. Pipes installed shall conform with the lines and grades shown in the Plans or as established by the Engineer. Drain pipe extension, if needed shall be attached to the ends of existing drain pipes either using pipe sleeves or pipe with bell sockets. The length of the extension shall depend on the existing drain pipe condition and the location as shown in the Plans and shall not be lower than the required vertical clearance or as directed by the Engineer. Pipes and fittings shall be homogenous throughout and free from visible cracks, holes, foreign inclusions or other injurious defects. Pipes installed shall be as uniform as commercially practical in color, opacity, density and other physical properties.

Part F - MISCELLANEOUS STRUCTURES

606(2) Thermoplastic Pavement Markings (White & Yellow)

This item shall consist of placing markings on the finished pavement. The work shall include the furnishing of premixed reflectorized traffic paint or reflectorized pavement marking paint conforming to the requirements of AASHTOM 248, whichever is called for in the Contract, sampling and packing, preparing the surface, and applying the paint to the pavement surface, all in accordance with this Specification.

The painting of lane markers and traffic strips shall include the cleaning of the pavement surfaces, the application, protection and drying of the paint coatings, the protection of pedestrians, vehicular or other traffic, the protection of all parts of the road structure and its appurtenances against disfigurement by spatters, splashes or

smirches of paints or of paint materials, and the supplying of all tools, labor and traffic paint necessary for the entire work.

603(3) Metal Guardrail (Metal Beam) including Post (W-Beam)

This item shall consist of furnishing and constructing posts and guardrails of the types called for in the contract and in accordance with this Specification, at the locations, and in conformity with the lines and grades shown on the Plans, or as required by the Engineer.

Materials for the metal beam rail shall meet the requirements specified in the following specifications of AASHTO M 180.

Posts shall be set vertically in the position shown on the Plans and where embedded in a concrete foundation block, shall remain undisturbed for a minimum of 48 hours. The space around the post shall be backfilled to the ground line with approved material in layers not exceeding 100 mm and each layer shall be moistened and thoroughly compacted.

603(4) Metal Beam End Piece

This item shall covers the supply of labor, materials and equipment required to install metal beam end piece in accordance with approved design grade, dimensions and cross-section. (Please refer to plans)

Part G - OTHER GENERAL REQUIREMENTS

A.1.1 (8) Provision of Field Office for the Engineer (Rental Basis)

This item includes the construction the temporary facilities for the engineer and temporary bunkhouse for rental basis including the power and water supply for the storage of the materials / equipment needed for the whole duration of the project.

B.5 Project Billboard / Signboard

This item of work includes fabrication & installation of plywood size (1.2m x 2.4m) standard billboard with coco lumber frame.



B.7 (1) Occupational Safety and Health Program

The contractor needs to establish safety goals and objectives develop and implement a written Safety and Health program. The contractor also needs to provide a Part-Time Safety Practitioner and First Aider who undergone training at DOLE/ Red cross respectively.

B.8 Traffic Control and Management








The contractor needs to establish a traffic control and management to reduce clutter/traffic congestion and minimize traffic disruption. The contractor also needs to provide a flag men for the whole project duration.

Section VII. Drawings



LOCATION PLAN
SCALE: NTS







VICINITY MAP





<p>AGENCY:</p>  <p>REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY</p>  <p>OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511</p>	<p>PROJECT TITLE:</p> <p>REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE</p> <p>LOCATION: Tabaco City</p>	<p>PREPARED BY:</p>  <p>LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO</p>	<p>CHECKED BY:</p>  <p>ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE</p>	<p>REVIEWED BY:</p>  <p>FRANCO B. BITE CITY ARCHITECT</p>	<p>RECOMMENDING APPROVAL:</p>  <p>DINDO B. BONGALOSA OIC - CITY ENGINEER</p>	<p>APPROVED BY:</p>  <p>CIELO KRUSEL LAGMAN-LUISTRO CITY MAYOR</p>	<p>SHEET NO.:</p> <p>1 9</p>
--	---	--	---	--	---	---	------------------------------

SUMMARY OF QUANTITIES







Item No.	Description of Work to be Done	Unit	Quantity
Part-A	EARTHWORKS		
101(1)	Removal of Structure & Obstruction	LS	1
103(5) b	Cribbing/ Cofferdamming	LS	1
104(1) b	Embankment (Selected Borrow)	cu.m	3772.88
105(1) a	Subgrade Preparation (Common Materials)	sq.m.	2256.8
PART-B	SUBBASE AND BASECOURSE		
200(1)	Aggregate Subbase Course	cu.m.	677.04
PART-C	SURFACE COURSES		
311(1) c1	Portland Cement Concrete Pavement 0.23 thk -14 days	sq.m.	2256.8
Part-D	BRIDGE CONSTRUCTION		
400(3) b	Steel H-Pile (Furnished), 305mm x305mm x 95	LM	576
400(10)	Steel H-Piles, Driven	LM	576
400(29) a	Painting Works (Bridge/ Guardrail)	sq.m.	117.18
401(2) a	Concrete Railing	LM	42
404(1) a	Reinforcing Steel (Grade 40)	kg	8123.52
404(1) b	Reinforcing Steel (Grade 60)	kg	112190.53
405(1)a2	Concrete -Structural Concrete Class "A" (14 days)	cu.m.	273
407(5)	Structure Excavation	cu.m.	157.86
407(8)	Lean Concrete	cu.m.	4.08
Part-E	DRAINAGE AND SLOPE PROTECTION STRUCTURES		
505(2) a	Grouted Riprap -Class A	cu.m.	11.2
506(1)	Stone Masonry	cu.m.	823.2
517(1) a	Metal Drain Pipe	LM	8
Part-F	MISCELLANEOUS STRUCTURES		
606(2)a	Thermoplastic Pavement Markings (White)	LM	90
606(2)b	Thermoplastic Pavement Markings (Yellow)	LM	38.4
603(3) a1	Metal Guardrail (Metal Beam) Including Post (W-Beam)	LM	140
603(4) a	Metal Beam End Piece	LM	8
Part-G	OTHER GENERAL REQUIREMENTS		
A.1.1 (8)	Provison of Field Office for the Engineer (Rental Basis)	LS	1
B.5	Project Billboard / Signboard	LS	1
B.7 (1)	Occupational Safety and Health Program	LS	1
B.8	Traffic Control and Management	LS	1



*EXCLUDE : WEIGHT OF RC PILE AND RAILING REINFORCEMENTS
 NOTE :
 1. ALL QUANTITIES ARE SUBJECT TO INCREASE OR DECREASE TO SUIT EXISTING FIELD CONDITION
 2. ALL DIMENSIONS, ELEVATIONS, AND STATIONING SHALL BE VERIFIED BEFORE START OF CONSTRUCTION.

AGENCY:  REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511	PROJECT TITLE: REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE LOCATION: Tabaco City	PREPARED BY:  LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO	CHECKED BY:  ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE	REVIEWED BY:  FRANCO B. BITE CITY ARCHITECT	RECOMMENDING APPROVAL:  DINDO B. BONGALOSA OIC - CITY ENGINEER	APPROVED BY:  CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR	SHEET NO.: 2 / 9
--	--	---	--	---	--	---	---------------------




HYDROLOGIC / HYDRAULIC DATA:	
DRAINAGE AREA
VELOCITY
DESIGN PERIOD
DESIGN DISCHARGE
SCOUR DEPTH


AGENCY:  REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511	PROJECT TITLE: REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE	PREPARED BY:  LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO	CHECKED BY:  ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE	REVIEWED BY:  FRANCO B. BTE CITY ARCHITECT	RECOMMENDING APPROVAL:  DINDO B. BONGALOSA OIC - CITY ENGINEER	APPROVED BY:  CIELO KRISE LAGMAN-LUISTRO CITY MAYOR	SHEET NO.: 3 / 9
	LOCATION: Tabaco City						



AGENCY:	PROJECT TITLE:	PREPARED BY:	CHECKED BY:	REVIEWED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET NO.:
REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL	REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE LOCATION: Tabaco City	LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO	ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE	FRANCO B. BITE CITY ARCHITECT	DINDO B. BONGALOSA OIC - CITY ENGINEER	CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR	4 9



FOOTING PLAN DETAILS
SCALE: 1:40M



305 X 305 X 95 STEEL H-PILE PROPERTIES


MASS PER METER	DEPTH OF SECTION (h)	WIDTH OF SECTION (b)	THICKNESS OF WEB (s)	THICKNESS OF FLANGE (t)
kg/m	mm	mm	mm	mm
94.90	303.70	308.70	13.30	13.30

REINFORCEMENT SCHEDULE AND ESTIMATED QUANTITIES FOR SUPERSTRUCTURE OF 20.950m SPAN


BENDING DIAGRAM	STRUCTURE COMPONENT	CONCRETE VOLUME (m ³)	MARK	SIZE (mm)	QTY	SPACING (mm)	SHAPE	REINFORCEMENT					REMARKS								
								BAR DIMENSIONS (mm)						LENGTH PER BAR (m)	TOTAL LENGTH (m)	UNIT WEIGHT (kg/m)	TOTAL WEIGHT (kg)				
								a	b	c	d	e									
	DECK SLAB	45.72	(S1)	16	70	300	(C)														
			(S2)	16	69	300	(F)														
			(S3)	16	70	170	(A)														
			(S4)	16	14	170	(A)														
			(S5)	16	14	AS SHOWN	(C)														
			(S6)	16	3	AS SHOWN	(C)														
			(S7)	16	3	AS SHOWN	(C)														
			(S8)	16	3	AS SHOWN	(A)														
			(S9)	16	3	AS SHOWN	(A)														
			(S10)	12	70	300	(E)														
	GIRDER	70.39	(G1)	28	6	AS SHOWN	(C)														
			(G2)	36	6	AS SHOWN	(C)														
			(G3)	36	6	AS SHOWN	(C)														
			(G4)	36	6	AS SHOWN	(A)														
			(G5)	36	6	AS SHOWN	(A)														
			(G6)	36	6	AS SHOWN	(A)														
			(G7)	36	6	AS SHOWN	(A)														
			(G8)	36	6	AS SHOWN	(A)														
			(G10)	16	24	300	(A)														
			(G11)	12	342	AS SHOWN	(D)														
				INTERMEDIATE DIAPHRAGM	1.34	(D1)	28	2	AS SHOWN	(C)											
(D2)	28	2				AS SHOWN	(C)														
(D3)	12	12				AS SHOWN	(A)														
(D4)	12	14				170	(D)														
	END DIAPHRAGM	3.53	(D1)	28	4	AS SHOWN	(C)														
			(D2)	28	4	AS SHOWN	(C)														
			(D3)	12	28	200	(A)														
			(D4)	12	24	170	(D)														
			(D5)	28	16	300	(A)														

SIDEWALK:
 VOLUME OF CONCRETE PER METER OF BRIDGE = 0.618 Cu.M.
 0.618 (21.00M) = 12.98 Cu.M.
 WEIGHT OF REBARS PER METER OF BRIDGE = 38.81 Kgs.
 38.81 (21.00M) = 814.81 Kgs., SAY 815 KGS. (GRADE 60)


AGENCY: REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511	PROJECT TITLE: REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE LOCATION: Tabaco City	PREPARED BY: LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO	CHECKED BY: ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE	REVIEWED BY: FRANCO B. BITE CITY ARCHITECT	RECOMMENDING APPROVAL: DINDO B. BONGALOSA OIC - CITY ENGINEER	APPROVED BY: CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR	SHEET NO.: 6 / 9
---	--	---	--	---	--	---	---------------------




DECK SLAB FRAMING PLAN
SCALE: 1:50M




END DIAPHRAGM DETAILS
SCALE: 1:50M




SECTION





INTERMEDIATE DIAPHRAGM DETAIL
SCALE: 1:50M














SECTION













DECK SLAB SECTION
SCALE: 1:50M

<p>AGENCY:</p>  <p>REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY</p>  <p>OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511</p>	<p>PROJECT TITLE:</p> <p>REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE</p> <p>LOCATION: Tabaco City</p>	<p>PREPARED BY:</p> <p><i>Leo Angelo G. Bataller</i> LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO</p>	<p>CHECKED BY:</p> <p><i>Roland B. Garcia</i> ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE</p>	<p>REVIEWED BY:</p> <p><i>Franco B. Bite</i> FRANCO B. BITE CITY ARCHITECT</p>	<p>RECOMMENDING APPROVAL:</p> <p><i>Dindo B. Bongalosa</i> DINDO B. BONGALOSA OIC - CITY ENGINEER</p>	<p>APPROVED BY:</p> <p><i>Cielo Krissel Lagman-Luistro</i> CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR</p>	<p>SHEET NO.:</p> <table border="1"> <tr> <td>7</td> <td>9</td> </tr> </table>	7	9
7	9								




<p>AGENCY:</p>  <p>REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY</p>  <p>OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511</p>	<p>PROJECT TITLE:</p> <p>REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE</p> <p>LOCATION: Tabaco City</p>	<p>PREPARED BY:</p>  <p>LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO</p>	<p>CHECKED BY:</p>  <p>ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE</p>	<p>REVIEWED BY:</p>  <p>FRANCO B. BITE CITY ARCHITECT</p>	<p>RECOMMENDING APPROVAL:</p>  <p>DINDO B. BONGALOSA OIC - CITY ENGINEER</p>	<p>APPROVED BY:</p>  <p>CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR</p>	<p>SHEET NO.:</p> <table border="1"> <tr> <td>8</td> <td>9</td> </tr> </table>	8	9
8	9								



1 TYPICAL RAILING AND SIDEWALK DETAILS SCALE AS SHOWN

1C DRAIN DETAILS NOT TO SCALE

<p>AGENCY:</p>  <p>REPUBLIC OF THE PHILIPPINES LOCAL GOVERNMENT UNIT OF TABACO TABACO CITY-ALBAY</p> <p>OFFICE OF THE CITY ARCHITECT OFFICE OF THE LOCAL BUILDING OFFICIAL FOURTH FLOOR, CITY HALL ANNEX BUILDING, TABACO CITY-4511</p>	<p>PROJECT TITLE:</p> <p>REHABILITATION / IMPROVEMENT OF BANGKILINGAN - PAWA BRIDGE</p> <p>LOCATION: Tabaco City</p>	<p>PREPARED BY:</p> <p>LEO ANGELO G. BATALLER AUTOCAD OPERATOR/DRAFTSMAN, JO</p>	<p>CHECKED BY:</p> <p>ROLAND B. GARCIA OIC-CITY GENERAL SERVICES OFFICE</p>	<p>REVIEWED BY:</p> <p>FRANCO B. BITE CITY ARCHITECT</p>	<p>RECOMMENDING APPROVAL:</p> <p>DINDO B. BONGALOSA OIC - CITY ENGINEER</p>	<p>APPROVED BY:</p> <p>CIELO KRISSEL LAGMAN-LUISTRO CITY MAYOR</p>	<p>SHEET NO.:</p> <p>9</p>
--	--	--	---	--	---	--	----------------------------

Section VIII. Bill of Quantities

Procuring Entity: City Government of Tabaco City

Contract ID No. 029-08-2021-INFRA

Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge

Project Location: Pawa-Bangkilingan Section, Tabaco City

BILL OF QUANTITIES

Item No.	Description of Work to be Done		Qty	Unit	Unit Price (Php)	Total Amount (Php)
Part-A	EARTHWORKS					
	101 (1)	Removal of Structures & Obstruction	1.00	LS		
	103(5) b	Cribbing/ Cofferdamming	1.00	LS		
	104(1) b	Embankment (Selected Borrow)	3,772.88	cu.m		
	105(1) a	Subgrade Preparation (Common Materials)	2,256.80	sq.m.		
Part-B	SUBBASE AND BASECOURSE					
	200 (1)	Aggregate Subbase Course	677.04	cu.m		
Part-C	SURFACE COURSES					
	311(1) c1	Portland Cement Concrete Pavement 0.23 thk - 14 days	2,256.80	sq.m.		
Part-D	BRIDGE CONSTRUCTION					
	400(3) b	Steel H-Pile (Furnished), 305mm x 305mm x 95	576.00	LM		
	400 (10)	Steel H-Piles, Driven	576.00	LM		
	400 (29) a	Painting Works (Bridge/Guardrail)	117.18	sq.m.		
	401 (2) a	Concrete Railing	42.00	LM		
	404 (1) a	Reinforcing Steel) (Grade 40)	8,123.52	kg		
	404 (1) b	Reinforcing Steel) (Grade 60)	112,190.53	kg		
	405 (1) a2	Concrete -Structural Concrete Class "A" (14 days)	273.00	cu.m.		
	407 (5)	Structure Excavation	157.86	cu.m.		
	407 (8)	Lean Concrete	4.08	cu.m.		
Part-E	DRAINAGE AND SLOPE PROTECTION STRUCTURES					
	505 (2) a	Grouted Riprap - Class A	11.20	cu.m.		
	506 (1)	Stone Masonry	823.20	cu.m.		
	517 (1) a	Metal Drain Pipe	8.00	LM		
Part-F	MISCELLANEOUS STRUCTURES					
	606 (2) a	Thermoplastic Pavement Markings (White)	90.00	LM		
	606 (2) b	Thermoplastic Pavement Markings (Yellow)	38.40	LM		
	603 (3) a1	Metal Guardrail (Metal Beam) Including Post (W-Beam)	140.00	LM		
	603 (4) a	Metal Beam End Piece	8.00	LM		
Part-G	OTHER GENERAL REQUIREMENTS					
	A.1.1 (8)	Provision of Field Office for the Engineer (Rental Basis)	1.00	LS		
	B .5	Project Billboard/ Signboard	1.00	LS		
	B.7 (1)	Occupational Safety and Health Program	1.00	LS		
	B.8	Traffic Control & Management	1.00	LS		
	Total					

Name of the Company/Bidder	Name of Authorized Representative	Signature of Authorized Representative

Section IX. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
Or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
And
- (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
And
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (g) Philippine Contractors Accreditation Board (PCAB) License;
or
Special PCAB License in case of Joint Ventures;
and registration for the type and cost of the contract to be bid; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
 - b. List of contractor’s key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
 - c. List of contractor’s major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

- (m) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (n) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- (o) Original of duly signed Bid Prices in the Bill of Quantities; **and**
- (p) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and**
- (q) Cash Flow by Quarter.

Annex A. Forms & Templates

Procuring Entity: City Government of Tabaco City

Contract ID No. 029-08-2021-INFRA

Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge

Project Location: Pawa-Bangkilingan Section, Tabaco City

Statement of SINGLE LARGEST COMPLETED CONTRACT (SLCC) which is similar in nature

Business Name : _____

Business Address : _____

Name of Contract	a. Owner Name b. Address c. Telephone Nos.	Nature of Work	Contractor's Role		a. Amount at Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			Description	%		

Note: This statement shall be supported with:

- 1 Notice of Award and/ or Notice to Proceed;**
- 2 Owner's Certificate of Final Acceptance or Completion, or**
- 3 CPES Satisfactory Final Rating**

Submitted by : _____
(Printed Name & Signature)

Designation : _____

Date : _____

Procuring Entity: City Government of Tabaco City
Contract ID No. 029-08-2021-INFRA
Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge
Project Location: Pawa-Bangkilingan Section, Tabaco City

Net Financial Contracting Capacity (NFCC)

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20__
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = 15 (current asset – current liabilities) minus value of all outstanding works under ongoing contracts including awarded contracts yet to be started

NFCC = P _____

Herewith attached are certified true copies of the income tax return and audited financial statement: stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding year.

Submitted by:

Name of Supplier / Distributor / Manufacturer

Signature of Authorized Representative

Date : _____

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: 029-08-2021-INFRA**

To: **The City Government of Tabaco**
Tabaco City

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Procuring Entity: City Government of Tabaco City
Contract ID No. 029-08-2021-INFRA
Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge
Project Location: Pawa-Bangkilingan Section, Tabaco City

QUALIFICATION OF KEY PERSONNEL PROPOSED TO BE ASSIGNED TO THE CONTRACT

Business Name : _____
 Business Address: _____

	Project Manager	Project Engineer			Other positions deemed required by the Applicant for this project
1 Name					
2 Address					
3 Date of Birth					
4 Employed Since					
5 Experience					
6 Previous Employment					
7 Education					
8 PRC License					

Note: Attach individual resume and PRC License of the (professional) personnel

Submitted by : _____
 (Printed Name & Signature)

Designation : _____

Date : _____

Procuring Entity: City Government of Tabaco City
 Contract ID No. 029-08-2021-INFRA
 Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge
 Project Location: Pawa-Bangkilingan Section, Tabaco City

List of Equipment, Owned or Leased and/or under Purchase Agreements, Pledged to the Proposed Contract

Business Name : _____
 Business Address: _____

Description	Model/ Year	Capacity / Performance / Size	Plate No.	Motor No. / Body No.	Location	Condition	Proof of Ownership / Lessor or Vendor
A. Owned							
i.							
ii.							
iii.							
iv.							
v.							
B. Leased							
i.							
ii.							
iii.							
iv.							
v.							
C. Under Purchase Agreements							
i.							
ii.							
iii.							
iv.							

Submitted by : _____
 (Printed Name & Signature)
 Designation : _____
 Date : _____

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable:)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Bid Form for the Procurement of Infrastructure Projects

BID FORM

Date : _____
Project Identification No.: 029-08-2021-INFRA

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract]*;
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: *[insert information]*;
- e. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines¹ for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

¹ currently based on GPPB Resolution No. 09-2020

Procuring Entity: City Government of Tabaco City

Contract ID No. 029-08-2021-INFRA

Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge

Project Location: Pawa-Bangkilingan Section, Tabaco City

BILL OF QUANTITIES

Item No.	Description of Work to be Done	Qty	Unit	Unit Price (Php)	Total Amount (Php)
Part-A	EARTHWORKS				
101 (1)	Removal of Structures & Obstruction	1.00	LS		
103(5) b	Cribbing/ Cofferdamming	1.00	LS		
104(1) b	Embankment (Selected Borrow)	3,772.88	cu.m		
105(1) a	Subgrade Preparation (Common Materials)	2,256.80	sq.m.		
Part-B	SUBBASE AND BASECOURSE				
200 (1)	Aggregate Subbase Course	677.04	cu.m		
Part-C	SURFACE COURSES				
311(1) c1	Portland Cement Concrete Pavement 0.23 thk - 14 days	2,256.80	sq.m.		
Part-D	BRIDGE CONSTRUCTION				
400(3) b	Steel H-Pile (Furnished), 305mm x 305mm x 95	576.00	LM		
400 (10)	Steel H-Piles, Driven	576.00	LM		
400 (29) a	Painting Works (Bridge/Guardrail)	117.18	sq.m.		
401 (2) a	Concrete Railing	42.00	LM		
404 (1) a	Reinforcing Steel) (Grade 40)	8,123.52	kg		
404 (1) b	Reinforcing Steel) (Grade 60)	112,190.53	kg		
405 (1) a2	Concrete -Structural Concrete Class "A" (14 days)	273.00	cu.m.		
407 (5)	Structure Excavation	157.86	cu.m.		
407 (8)	Lean Concrete	4.08	cu.m.		

Part-E	DRAINAGE AND SLOPE PROTECTION STRUCTURES					
	505 (2) a	Grouted Riprap - Class A	11.20	cu.m.		
	506 (1)	Stone Masonry	823.20	cu.m.		
	517 (1) a	Metal Drain Pipe	8.00	LM		
Part-F	MISCELLANEOUS STRUCTURES					
	606 (2) a	Thermoplastic Pavement Markings (White)	90.00	LM		
	606 (2) b	Thermoplastic Pavement Markings (Yellow)	38.40	LM		
	603 (3) a1	Metal Guardrail (Metal Beam) Including Post (W-Beam)	140.00	LM		
	603 (4) a	Metal Beam End Piece	8.00	LM		
Part-G	OTHER GENERAL REQUIREMENTS					
	A.1.1 (8)	Provision of Field Office for the Engineer (Rental Basis)	1.00	LS		
	B .5	Project Billboard/ Signboard	1.00	LS		
	B.7 (1)	Occupational Safety and Health Program	1.00	LS		
	B.8	Traffic Control & Management	1.00	LS		
	Total					

Name of the Company/Bidder	Name of Authorized Representative	Signature of Authorized Representative

Procuring Entity: City Government of Tabaco City
Contract ID No. 029-08-2021-INFRA
Name of the Project: Rehabilitation/ Improvement of Pawa-Bangkilingan Bridge
Project Location: Pawa-Bangkilingan Section, Tabaco City

Contract Name : _____

Location : _____

CASH FLOW BY QUARTER AND PAYMENT SCHEDULE

PARTICULAR	% WT.	1ST QUARTER	2ND QUARTER	3RD QUARTER	4TH QUARTER
ACCOMPLISHMENT					
CASH FLOW					
CUMULATIVE ACCOMPLISHMENT					
CUMULATIVE CASH FLOW					

Submitted by:

Name of the Representative of the Bidder : _____

Name of the Bidder: _____

Position : _____

Date _____

**Contract Agreement Form for the
Procurement of Infrastructure Projects (Revised)**

*[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the
Notice of Award]*

CONTRACT AGREEMENT

THIS AGREEMENT, made this *[insert date]* day of *[insert month]*, *[insert year]* between **CITY GOVERNMENT OF TABACO, Tabaco City, Albay, Philippines** (hereinafter called the “Entity”) and *[name and address of Contractor]* (hereinafter called the “Contractor”).

WHEREAS, the Entity is desirous that the Contractor execute *[name and identification number of contract]* (hereinafter called “the Works”) and the Entity has accepted the Bid for *[contract price in words and figures in specified currency]* by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:

- a. Philippine Bidding Documents (PBDs);
 - i. Drawings/Plans;
 - ii. Specifications;
 - iii. Bill of Quantities;
 - iv. General and Special Conditions of Contract;
 - v. Supplemental or Bid Bulletins, if any;
- b. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder’s conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

for:

[Insert Procuring Entity]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

for:

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacture/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

ORIGINAL - TECHNICAL COMPONENT

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

ORIGINAL – FINANCIAL COMPONENT

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

ORIGINAL BID

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 1 - TECHNICAL COMPONENT

REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 1 – FINANCIAL COMPONENT

REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 1

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 2 - TECHNICAL COMPONENT

REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 2 – FINANCIAL COMPONENT

REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM

NAME OF THE CONTRACTOR
ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

COPY NO. 2

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM


ADDRESS OF THE CONTRACTOR

ATTY. JOVITO BRON CODERIS, JR.
BAC CHAIRMAN
LGU-TABACO CITY

BID PROPOSAL

**REHABILITATION/ IMPROVEMENT OF PAWA-
BANGKILINGAN BRIDGE, PAWA-
BANGKILINGAN SECTION, TABACO CITY
CONTRACT ID NO. 029-08-2021-INFRA**

DO NOT OPEN BEFORE SEPTEMBER 07, 2021, 9:30 AM



Guidelines on SEALING OF BIDS

